


CALIBRATION COLUMNS (CYLINDER) WITH FIXED CAPS

TYPICAL INSTALLATION




Chemical Resistance Guide (For a more complete listing see our Chemical Resistance Guide)

RECOMMENDED

Acetic Acid 10-20%	Barium Sulphate	Copper Sulphate	Linoleic Acid	Potassium Hydroxide
Acetylene	Barium Sulfide	Cupric Fluoride	Linseed Oil	Potassium Nitrate
Adipic Acid	Beer	Detergents	Lithium Bromide	Potsm Permanganate
Alum	Benzoic Acid	Dextrose	Malic Acid	Plating Solutions
Aluminium Alum	Black Liquors	Distilled Water	Mercuric Chloride	Sea Water
Aluminium Chloride	Bleach (12% Cl)	Ethylene Glycol Mercuric Cyanide	Mercury	Silicic Acid
Aluminium Fluoride	Borax	Fatty Acids	Methyl Alcohol	Silver Cyanide
Aluminium Hydroxide	Boric Acid	Ferric Chloride	Methyl Sulfuric Acid	Silver Nitrate
Aluminium Oxchloride	Bromic Acid	Ferric Hydroxide	Milk	Sodium Acetate
Aluminium Nitrate	Cadmium Cyanide	Ferric Nitrate	Muratic Acid	Sodium Alum
Aluminium Sulfate	Calcium Bisulfide	Ferric Sulfate	Nitric Acid 10% - 60%	Sodium Bicarbonate
Ammonia (dry-gas)	Calcium Bisulfite	Ferrous Chloride	Oleic Acid	Sodium Bisulfate
Ammonium Acetate	Calcium Carbonate	Ferrous Sulfate	Ozone	Sodium Carbonate
Ammonium Alum	Calcium Chloride	Fluorosilicic Acid 25%	Palm Itric Acid 10%	Sodium Cyanide
Ammonium Bifluoride	Calcium Hydroxide	Gallic Acid	Perchloric Acid 10%	Sodium Hydroxide
Ammonium Carbonate	Calcium Hypochlorite	Gasoline	Phosphoric Acid 10%	Sodium Hypochlorite
Ammonium Chloride	Carbon Dioxide	Glycerine	Phosphoric Acid 25%	Stannic Chloride
Ammonium Hydroxide	Carbonic Acid	Glycol	Phosphoric Acid 75%	Sulfuric Acid 3%
Ammn. Metaphosphate	Caustic Potash	Glycolic Acid	Phosphoric Acid 85%	Sulfuric Acid 10%
Ammonium Nitrate	Caustic Soda	Hydrobromic Acid 20%	Hydrochloric Acid 35%	Sulfuric Acid 33%
Ammonium Persulfate	Chlorine Water	Hydrochloric Acid 20%	Hydrocyanic Acid	Sulfuric Acid 50%
Ammonium Phosphate	Chrome Alum	Hydrogen Peroxide 90%	Hydrogen Sulfite	Sulfuric Acid 70%
Ammonium Sulfate	Citric Acid	Kraft Liquors	Lactic Acid 25%	Trisodium Phosphate
Ammonium Thiocyanate	Copper Carbonate	Copper Chloride	Lead Acetate	Water, Deionized
Arsenic Acid	Copper Chloride	Copper Cyanide	Lead Chloride	Water, Distilled
Barium Carbonate	Copper Fluoride	Copper Nitrate	Lead Sulfate	Water, Salt
Barium Chloride	Copper Sulfate			Zinc Chloride
Barium Hydroxide				Zinc Sulfate

NOT RECM'D

Acetic Acid
Acetone
Ammonia (liquid)
Ammonium Fluoride
Amyl Acetate
Benzene
Bromine, Liquid
Bromine, water
Butyl Acetate
Carbon Bisul?de
Carbon Tetrachloride
Chlorine Gas
Chlorine (wet)
Chromic Acid 10%
Chromic Acid 50%
Ethers
Fluorine Gas
Hydrofluoric Acid 50%
Lodine
Nitric Acid Anhydrous
Nitric Acid 68%
Perchloric Acid 15%
Perchloric Acid 70%
Sulfur Dioxide (wet)
Sulfuric Acid 80-94%
Titanium Tetrachloride
Tributyl Phosphate
Turpentine



PVC SERIES

Model	Capacity (ml)	Scale (ml)	DIMENSIONS (mm)		
			A	B	C
FCC-PVC-0100	100	1	264	42	GF 1/2"
FCC-PVC-0250	250	2	355	50	GF 1/2"
FCC-PVC-0500	500	5	373	75	GF 1/2"
FCC-PVC-1000	1000	5	576	75	GF 3/4"
FCC-PVC-2000	2000	10	570	105	GF 1"
FCC-PVC-4000	4000	20	700	125	GF 1"

ACRILIC SERIES

Model	Capacity (ml)	Scale (ml)	DIMENSIONS (mm)		
			A	B	C
FCC-ACR-0100	100	1	270	40	GF 1/2"
FCC-ACR-0250	250	2	350	50	GF 1/2"
FCC-ACR-0500	500	5	435	60	GF 1/2"
FCC-ACR-1000	1000	5	514	80	GF 3/4"
FCC-ACR2000	2000	10	567	100	GF 1"
FCC-ACR-3000	3000	20	643	115	GF 1"
FCC-ACR-4000	4000	20	800	115	GF 1"
FCC-ACR-5000	5000	20	818	125	GF 1 1/4"
FCC-ACR-6000	6000	40	818	135	GF 1 1/4"
FCC-ACR-7000	7000	40	920	135	GF 1 1/4"
FCC-ACR-10000	10000	100	852	165	DN 50
FCC-ACR-15000	15000	200	916	222	DN 50
FCC-ACR-20000	20000	200	1093	222	DN 50

use 1 minute test to determine flowrate